

Installation Manual for ConCardis e-Commerce

This manual describes the installation and usage of the ConCardis extension for e-Commerce. T

Release Date: Tue, 23 May 2017 21:43:20 +0200
Version: 3.0.64

customweb GmbH
General-Guisan-Strasse 47
CH-8400 Winterthur

E-Mail: info@customweb.ch

Phone:

CH: +41 (0)44 533 15 70

DE: +49 (0)180 3 729 636

UK: +44 (0)2036 086 268

US: +1 (0)650 618 3944

© copyright by customweb GmbH Tue, 23 May 2017 21:43:20 +0200

Table of Contents

1	Introduction	5
1.1	Procedure of the Installation	5
2	Configuration ConCardis - Back-End	6
2.1	Tab: Global Transaction Parameters	6
2.1.1	Default operation code and default data capture procedure	6
2.1.2	Payment Retry	6
2.1.3	Processing for Individual Transactions	6
2.2	Tab: Global Security Parameters	6
2.2.1	Hashing Method	7
2.3	Tab: Payment Page	7
2.4	Tab: Data and Origin Verification	7
2.4.1	Checks for e-commerce & Alias Gateway	8
2.4.2	Checks for ConCardis DirectLink and ConCardis Batch (Automatic)	8
2.5	Tab: Transaction Feedback	8
2.5.1	HTTP Redirection in the Browser	8
2.5.2	Direct HTTP-Server-to-Server-Request	8
2.5.3	Dynamic e-Commerce Parameters	10
2.5.4	Dynamic Parameters	10
2.5.5	Security for Request Parameters	11
2.5.6	HTTP Request for Status Changes	11
2.5.7	Dynamic Parameters	12
2.6	(Dynamic-)Template	12
2.7	Hidden Authorisation, Ajax Authorization (FlexCheckout - Hosted Tokenization Page), External Checkout & Alias Manager	13
2.7.1	Preconditions	13
2.7.2	Setting Up an API-User	14
2.7.3	Usage of External Checkouts	14
3	Module Installation in the e-Commerce Shop	16
3.1	Basic Module Configuration	16
3.2	Setting the Transaction Feedback URL	16
3.3	Payment Method Configuration	17
3.4	Shop ID	17
3.5	Order Prefix	17
3.6	Selecting the Authorisation Method	18
3.7	Direct Capturing of Transactions	18
3.8	Uncertain Status Status	18

3.9	Optional: Validation	18
3.10	Multi-Shop Set-Up	19
3.10.1	Usage of several independent e-Commerce shops	20
4	Settings / Configuration of Payment Methods	21
4.1	General Information About the Payment Methods	21
4.2	Information on Payment Status	21
4.2.1	Order status "pending" / imminent payment (or similar)	21
4.2.2	Order status "cancelled"	21
4.3	Usage Hidden Authorisation / Alias Gateway	22
4.4	Credit Card	22
4.5	PayPal	23
4.6	MasterPass Integration: What to keep in mind	24
4.6.1	Integration Possibilities for MasterPass	24
4.6.2	Checkout: MasterPass Learn More Button	25
4.6.3	Additional information	26
4.7	Usage of the Ajax Authorization (FlexCheckout)	26
5	The Module in Action	27
5.1	Useful Information on Transactions	27
5.2	Alias Manager / Token Solution Usage	27
5.3	Dynamic Template	28
5.4	Capture / Cancel Orders	29
5.4.1	Capturing and Cancelling Orders	30
5.5	Order Refunds	30
5.6	Transaction History	31
5.7	Cron Job Setup	32
6	Testing	33
6.1	Test Data	33
7	Updates and Upgrades	35
7.1	Update Checklist	35
7.2	Update Instructions	35
8	Errors and their Solutions	37
8.1	The Referrer URL appears in my Analytics Tool	37

1 Introduction

This manual explains the installation, configuration and usage of the payment module for e-Commerce and ConCardis.

Before beginning with the installation, please make sure that you are in possession of all necessary data:

- You receive your PSPID and password after conclusion of contract and opening of a demo account directly from ConCardis
- e-Commerce payment module from sellxed.com/shop
- Access data to your server and shop

In case you do not yet have a contract with ConCardis, you can gladly acquire it directly through us.

1.1 Procedure of the Installation

In this document you will find all information important for the installation of the module. It is important that you strictly follow the described steps. Only by doing so, a secure usage in compliance with all security regulations can be guaranteed.

1. Configuration of the administration interface of ConCardis.
2. Configuration of the [basic settings](#) of the [payment module](#)
3. Configuration of the **payment methods**
4. Carrying out a test purchase by means of the attached [test data](#) at the end of this document
5. If the test was successful, copy all data from your test account into the ConCardis live account.

Installation Service

In case of problems, our support team is at your disposal during regular business hours under: <http://www.sellxed.com/en/support>.

Furthermore, you have the option of ordering our installation service: <http://www.sellxed.com/shop/en/integration-und-installation.html>

.htaccess Directory Protection

In order to test the module, any kind of directory protection or IP blocking on your server must be deactivated. This is crucial; otherwise the payment feedback of ConCardis might not get through to the shop.

2 Configuration ConCardis - Back-End

For the configuration, log into the ConCardis back-end:

- Test Environment: <https://secure.payengine.de/ncol/test/backoffice>
- Live Environment: <https://secure.payengine.de/ncol/prod/backoffice>

The settings carried out on the following pages are a precondition for the [configuration of the main module](#).

The configuration of the settings is done under **Configuration > Technical Information**. In the following chapter the chapter titles correspond to the tabs in the back office of ConCardis. For some parts screenshots will be added for a more precise illustration. Should a specific setting not be mentioned then it has no importance for the configuration of the payment module and can be ignored by you as such.

2.1 Tab: Global Transaction Parameters

Under the tab Global Transaction Parameters you define the basic settings for the processing of transactions.

2.1.1 Default operation code and default data capture procedure

We recommend choosing **Sale** and **"Automatic data capture by our system at the end of the day"**. All incoming payments will be directly processed and debited. If you are using transaction management and deferred capturing we strongly advise to use these settings. In case you have saved different settings in the module, then the module's settings will overwrite those of the ConCardis.

2.1.2 Payment Retry

We recommend entering **10**.

2.1.3 Processing for Individual Transactions

We recommend the option **"Online but switch to offline when the online acquiring system is unavailable"**.

2.2 Tab: Global Security Parameters

Here you define the security parameters for the interaction between your shop and the gateway of ConCardis.

2.2.1 Hashing Method

The sellxed payment modules support all hashing methods. In order for the module to function, it is crucial that the settings saved with ConCardis correspond to those made in the back-end of your shop.

In order to guarantee a smooth processing of payments, we recommend the following hashing methods:

- Each parameter, followed by the pass phrase. It may be that this parameter is not visible in your shop. In this case it is transmitted automatically.
- Hash Algorithm = SHA 512
- Character Encoding = UTF-8

Figure 2.1: Configuration of the SHA-Hash.

These settings must be identical to the settings in the main module (cf. [Configuration of the main module](#)). Please note that the character encoding in our modules is set to UTF-8 per default and cannot be changed.

2.3 Tab: Payment Page

The checkbox under **Cancel Button** should be ticked. The field under Back Button Redirection can be left empty.

2.4 Tab: Data and Origin Verification

The tab Data and Origin Verification defines security elements concerning the transmission of data and the loading of the payment page.

2.4.1 Checks for e-commerce & Alias Gateway

The first box under "URL of the merchant page" can remain empty.

The box "SHA-IN pass phrase" is a security element of the payment verifying its authenticity. Therefore it is important that you use the same pass phrase in the back end and in the shop.

Customweb SHA-String Generator

Please note that only ASCII characters may be used for SHA pass phrases. Please use our [SHA pass phrase generator](#) so that you do not enter invalid characters.

2.4.2 Checks for ConCardis DirectLink and ConCardis Batch (Automatic)

DirectLink allows you to use the Hidden Authorisation (Alias Gateway) as well as the direct debiting of transactions within your shop. If you have activated DirectLink in your account and wish to use this feature, enter **the same** SHA-IN pass phrase in the box "SHA-IN pass phrase" as above.

Further information on the configuration of DirectLink can be found under [Configuration Hidden Authorisation](#).

2.5 Tab: Transaction Feedback

In the tab Transaction Feedback the response of ConCardis to the shop is controlled.

2.5.1 HTTP Redirection in the Browser

The parameters in the transaction feedback determine the processing in the shop after payment has been completed. However, the four fields for "HTTP Redirection in the Browser" can remain **empty** because they will be configured through the settings of our module.

2.5.2 Direct HTTP-Server-to-Server-Request

- The "Timing of the Request" must be set to **Online but switch to a deferred request when the online requests fail**. As "Request Method" you must select **"POST"**.
- **Un-tick** the option "I would like ConCardis to display a short text to the customer on the secure payment page if a redirection to my website is detected immediately after the payment process."
- In the section **General** make sure that the Option: "I would like ConCardis to display a "processing" message to the customer during payment processing." is **un-ticked** too.

URL on which the merchant wishes to receive a deferred HTTP request, should the status of a transaction change offline.

For the **Transaction Feedback** please enter the URL that is generated in the main module. More information can be found under the section [Transaction Feedback](#)

All orders have the status 'Pending'

Should you notice during the tests that orders are not registered in the shop and that no confirmation email is sent, this might be due to a failure of the transaction feedback. Make sure that your firewall is not blocking any request coming from ConCardis.

Direct HTTP server-to-server request

i Timing of the request

No request.

Always deferred (not immediately after the payment).

Always online (immediately after the payment to allow customisation of the response seen by the customer).

Online but switch to a deferred request when the online requests fail.

i URL of the merchant's post-payment page

If the payment's status is "accepted", "on hold" or "uncertain".

SEE MANUAL FOR THIS URL // URL GEMÄSS MANUAL

If the payment's status is "cancelled by the client" or "too many rejections by the acquirer".

SEE MANUAL FOR THIS URL // URL GEMÄSS MANUAL

Request method

POST

GET

Figure 2.1: Configuration of the feedback URL for the HTTP-Feedback.

Deferred Requests und Time Out

ConCardis sends the notification requests with a time out of 20 sec. Should your shop not respond to the HTTP Request within this time, a time out error will be sent. If you set the option to **Online but switch to a deferred request when the online requests fail** the request will be retrieved four times in ten minute intervals.

Please note that, depending on your ConCardis subscription, it is possible that the only option available is **Always online (immediately after the payment to allow customization of the response seen by the customer)**. In this case, always select this option.

2.5.3 Dynamic e-Commerce Parameters

With this option you control which parameters are sent in the response from ConCardis. In order for payments to effectively be evaluated in your shop, all necessary parameters must be sent. It is possible that you have other options available to select. Just make sure that you move every parameter from **available** to **selected** except for the following:

- PM
- CN
- SUBBRAND
- AAVADDRESS
- AAVCHECK
- AAVMAIL
- AAVNAME
- AAVPHONE
- AAVZIP




Figure 2.1: Configuration of the Dynamic E-Commerce Parameters. Your selection may look differently depending on your subscription with ConCardis.

2.5.4 Dynamic Parameters

With this option you control which parameters are sent in the response from ConCardis. In order for payments to effectively be evaluated in your shop, all parameters must be sent. It is possible that you have other options available to select. Just make sure that you move **every** parameters from **available** to **selected**.




Figure 2.1: Configuration of the Dynamic Parameters. Your selection may look differently depending on your subscription with ConCardis.

2.5.5 Security for Request Parameters

The box "SHA-OUT pass phrase" is an additional safety mechanism for payments. Here too must the entered pass phrase be identical to the one in your shop. However, please make sure that your SHA-OUT pass phrase differs from the SHA-IN pass phrase. .

Customweb SHA-String Generator

Please note that only ASCII characters may be used for SHA pass phrases. Please use our [SHA pass phrase generator](#) so that you do not enter invalid characters.

2.5.6 HTTP Request for Status Changes

You have the option to be informed about status changes by ConCardis directly. This feature is especially useful when a payment has an uncertain status because the acquirer system could not be reached. The payment status will be updated automatically. Furthermore this feature allows you to capture payments inside ConCardis and have synchronize them with your shop

In order to use this feature you will have to select the option **For each offline status change (payment, cancellation, etc.)**. Afterwards just copy the URL into the field that is displayed in the Setup of your Main configuration (cf. [Transaction Feedback](#)). Enter the URL shown there into the field 'URL on which the merchant wishes to receive a deferred HTTP request, should the status of a transaction change offline.'

HTTP request for status changes

i Timing of the request

No request.

Only at the time of the order authorisation request.

For each offline status change (payment, cancellation, etc.).

URL on which the merchant wishes to receive a deferred HTTP request, should the status of a transaction change offline.

Figure 2.1: Enter the URL from the Setup of the Main Configuration.

2.5.7 Dynamic Parameters

Move all parameters from **available** to **selected**.

2.6 (Dynamic-)Template

You can now find the option template via **Configuration > Template**. The Dynamic Template enables you to design the payment mask for the credit card data so it matches your web shop. Should the field for the dynamic template not be visible, please contact ConCardis. It may be that you have to activate additional options in your account.

For the usage of the dynamic template, please save the following settings:

- Enable JavaScript on template: **'No'**
- Our modules do not allow "usage of static template". So click 'No'
- Allow usage of dynamic template: **'Yes'**
- In case you are using the dynamic template, enter the host name, i.e. `https://Your-Shop.com` in the lower box. The upper one must remain empty.

Template

i Enable JavaScript check on template

Yes

No

Allow usage of static template

Yes

No

Trusted static template name

i You may enter several template names, separated by ";" (e.g. template1.htm; template2.php)

Allow usage of dynamic template

Yes

No

Trusted dynamic template URL

i You may enter several template URL, separated by ";" (e.g. https://www.domain.com/tmp/template1.htm; https://www.domain.com/template2.php)

Trusted website hostname hosting the dynamic template

i You may enter several website hostnames, separated by ";" (e.g. https://www.domain.com; https://www.otherdomain.com)

Figure 2.1: Configuration of the Dynamic Template.

Dynamic Template

Please note that you require an SSL certificate for the usage of the dynamic template. Otherwise the CSS-Resources will not be reloaded in certain browsers which might lead to layout issues.

The activation of the dynamic template in the shop is explained [here](#).

2.7 Hidden Authorisation, Ajax Authorization (FlexCheckout - Hosted Tokenization Page), External Checkout & Alias Manager

2.7.1 Preconditions

For the usage of the Hidden Authorization, Ajax Authorization (FlexCheckout), Alias Manager or External Checkout during the payment processing, certain adjustments are necessary in the back-end of ConCardis. Please check first if the options are activated in your account under **Account > Your Options**.

ID	Option	Activation	Monthly fee	Transaction/Unit cost	Status	
AFTP	AFTP Module	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
D3D	D3D (Direct Link 3D)	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
ELVDE	ELV (Direct Debits Germany)	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate Configuration
FAQQ	Foreign acquirers	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
INV	Invoice appearance	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
NPMA2	Foreign payment methods (fees per payment method activated) - CH	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
OPC	One Page Checkout	0 EUR	0 EUR	0 EUR	Active	<i>i</i> Deactivate
RECO1	Reconciliation Module	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
RECX	Alias Manager	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate Configuration
SCH	Scheduled Payments	0 CHF	0 CHF	0 CHF	Available	<i>i</i> Activate
SUB	Subscription manager	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
USR4	User Manager up to 20 users	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate Configuration
USR5	User Manager up to 50 users	0 CHF	0 CHF	0 CHF	Available	<i>i</i> Activate
USR6	User Manager up to 100 users	0 CHF	0 CHF	0 CHF	Available	<i>i</i> Activate
USR7	User Manager up to 200 users	0 CHF	0 CHF	0 CHF	Available	<i>i</i> Activate

(1) CAP1 : Includes transaction fee for 3-D Secure transactions

Figure 2.1: Make sure to activate the OPC and DPR options.

If an option is not available please contact ConCardis.

Options and their Meanings:

- For the usage of the Hidden Authorization you require the option **OnePageCheckout (OPC)**.
- For the usage of the Ajax Authorization (FlexCheckout) you require the option **OnePageCheckout (OPC)** and **DirectLink (DPR)**.
- If you additionally want to use the Alias Manager, you also need the option **Alias Manager (RECX)**.

In case these options are not be available, please contact ConCardis directly.

2.7.2 Setting Up an API-User

If you want to use the features of the transaction management or the hidden authorization (Alias Gateway) you will need to set up an API user as described herafter:

Go to **Configuration > User Administration** and click on 'New User'. Choose a **User ID** and insert a user name of your choice and your e-mail address. Select **Administrator without user manager** as a profile. It is furthermore important that you select the option **Special user for API (no access to the administration)**. If you do not see this option, you will need to let ConCardis activate the option DirectLink for your account.

Password of the API-User

The User ID and the API-user password may only contain letters and numbers. Special characters aren't permitted.

Note down the access data. They will have to be inserted in the respective place in the [configuration of the main module](#).

2.7.3 Usage of External Checkouts

For the usage of external checkouts there are additional options required. External checkouts, such as MasterPass are payment methods, which offer the possibility to transfer addresses automatically.

The usage of the external checkouts asks for the option Direct Link and for the activation of payment method in your account.

For the performance of the payment method, you have to make sure that under Technical Information > Transactionfeedback in the section Direct Link all parameters selected are shifted




Figure 2.1: Response Parameter for Direct Link.

3 Module Installation in the e-Commerce Shop

At this time you should already be in possession of the module. Should this not be the case, you can download the necessary files in your customer account in the [sellxed shop](#) (Menu "My Downloads Downloads"). In order to download the module in your shop, please carry out the following steps:

1. Create a back-up of your shop.
2. Extract the content of the ZIP file that you have downloaded in your customer account.
3. Copy the **entire content** of the folder "files" into the main directory of the server of your shop respectively to the folder where the plugins are copied normally. In order to do so, use your usual ftp program. Make sure that the folders aren't replaced but merely merged.
4. If you haven't yet done so, log back into your shop.

The configuration consists of two steps. The first step is the configuration of the main module with all the basic settings (cf. [Configuration of the Main Module](#)). During the second step you can then carry out individual configurations for each [payment method](#). This allows for full flexibility and perfect adaptation to your processes.

Create back-ups!

Please create a back-up of the main directory of your shop. In case of problems you will then always be able to return your shop to its original state.

We furthermore recommend testing the integration on a test system. Complications may arise with third party modules installed by you. In case of questions, our support is gladly at your disposal.

3.1 Basic Module Configuration

Activate the plugin by selecting the module E-commerce ConCardis in the **Plugin** menu.

The settings for the basic module can be found at **ConCardis > ConCardis**. Fill out the fields, you should have already entered the necessary data in the ConCardis backend or you received it as part of your correspondence with ConCardis. Each option is explained in more detail in a short info text in the shop.

3.2 Setting the Transaction Feedback URL

In order for payments to be processed in your shop you need to enter at least one Feedback URL in the ConCardis configuration. The URL can be found in your e-Commerce shop directly in the menu item `___urlBackendForm___`.

3.3 Payment Method Configuration

After the basic module has been configured successfully, you can proceed to the payment settings. The payment methods you want to accept in your shop can be adjusted at **Settings > Store > Payments** . Every payment method is listed individually. Activate the payment methods you would like to provide in your shop by ticking the corresponding boxes on the right side. Individual changes can be made for each payment method to adjust it to your processes.

3.4 Shop ID

In the case of a multi-store set up (cf. [chapter: Multi-Store](#)), the parameter Shop ID identifies the shop's request and, therefore, redirects the feedback of ConCardis based on the shop ID.

3.5 Order Prefix

With the option order prefix you can define your own order scheme for the transmission to ConCardis. This option helps you identify to which shop a transaction the back-end of ConCardis is related to. The tag "{id}" will automatically be replaced by the consecutive order number.

3.6 Selecting the Authorisation Method

You can choose between two options of authorizing credit card payments. By selecting one of the two under the option 'Authorisation Methods', you define how you want to process the individual payment methods.

Further information on the various authorisation methods can be found on our [sellxed website](#).

Payment Processing

Please pay attention to the fact that you require the activation of further options with ConCardis in order to use some of the authorisation methods.

It may be that certain authorization methods are not available for every payment method.

Alongside the introduction of PCI 3 there are additional certification requirements in case you are using the authorization method Hidden or AJAX. Please contact ConCardis for further information or switch to another authorization method.

3.7 Direct Capturing of Transactions

The option "Capture" allows you to specify if you wish to debit payments directly or if you first wish to authorise them and the debit the payment at a later point.

Depending on your acquiring contract, a reservation is only guaranteed for a specific amount of time. Should you fail to debit the payment within that period, the authorisation may therefore no longer be guaranteed. Further information on this process can be found below.

Different settings between ConCardis back-end and module

It may be that settings saved in the payment modules overwrite settings saved in ConCardis.

3.8 Uncertain Status Status

You can specifically label orders for which no 3D-Secure verification nor any other security mechanism was carried out. This allows you to manually control the order before shipment.

3.9 Optional: Validation

Note: It can be that this option is not visible in your module. In this case just ignore this section.

With the option 'Validation' you can define the moment when the payment method should be made visible to the customer during the checkout process. This setting is relevant for modules where the usage depends on the customer's compliance with specific preconditions. For

example, if a solvency check has to be carried out or if the payment method is only available in certain countries. You have the choice between these options:

- **Validation before the selection of the payment method:** A validation verification is carried out before the customer selects the payment method. If he or she does not fulfill the requirements, the payment method is not displayed
- **Validation after selection of the payment method:** The verification of the compliance occurs after the selection of the payment method and before the confirmation of the order
- **During the authorisation:** The validation verification is carried out by ConCardis during the authorisation process. The payment method is displayed in any case

3.10 Multi-Shop Set-Up

The payment module is designed for the usage of one ConCardis contract for several shops. It must be differentiated, however, between the case of an integrated multi-shop functionality and independent shops:




Figure 3.1: Multi-shop set-up

Licensing

In the case of independent shops, you require a payment module license for each shop. For scale prices, please contact us directly.

3.10.1 Usage of several independent e-Commerce shops

In case you wish to connect several independent shops to one contract with one contract with ConCardis, you require a sellxed payment module for each shop as well as the corresponding multi-shop module which you will find directly by the payment module.

1. Extract the multi-shop module and open the file "router.php"
2. Enter a shop ID of your choice in the box "Shop ID" within the main configuration of the module (e.g. shop_a and shop_b)
3. Enter the following line into the corresponding place within the file router.php of the multi-shop module (for each shop shop_a and shop_b):
`$redirect['shop_a'] = 'https://www.your-shop.com/wp-content/plugins/ecommerce_payenginecw/endpoint.php?c=process&a=index';`
4. Enter the URL below (instead of the URL mentioned above) under the point "Feedbacks" in the back-end of ConCardis: **`http[s]://yourshop.com/router.php`**
5. Copy the file router.php into the main directory of your shop

4 Settings / Configuration of Payment Methods

4.1 General Information About the Payment Methods

All sellxed payment modules are delivered with the most common payment methods. In case a desired payment method is not included per default, please contact us directly.

In order to be able to use a payment method, it must be activated in your account with ConCardis as well as in your shop. Information about the configuration of the payment methods can be found further above.

Below you can find important information for specific payment methods that deviate from the standard process.

4.2 Information on Payment Status

For each payment method you can define an initial payment status (status for authorized payments etc.). You hereby define the payment status for each state depending on the processing type of the order (captured, authorized, etc.). It's the initial status which the order assumes. Depending on the mutation carried out by you, the status can change.

Important: Never set the status to pending ConCardis or any similar pending status which is implemented by the module.

4.2.1 Order status "pending" / imminent payment (or similar)

Orders with the status 'pending ConCardis' are pending orders. Orders are set to that status if a customer is redirected in order to pay but hasn't returned successfully or the feedback hasn't reached your shop yet (Customer closed window on the payment page and didn't complete payment). Depending on the payment method these orders will automatically be transformed into cancelled orders and the inventory will be cleared (so long as the Cronjob is activated). How long this takes depends on the characteristics of the payment method and cannot be configured.

If you have a lot of pending orders it usually means that the notifications from your webserver to ConCardis are being blocked. In this case check the settings of your firewall and ask the Hoster to activate the IPs and User Agents of ConCardis.

4.2.2 Order status "cancelled"

Orders with the status "cancelled" have either been set to that status automatically due to a timeout, as described above, or have been cancelled directly by the customer.

4.3 Usage Hidden Authorisation / Alias Gateway

You have the possibility of processing credit cards without redirection to the payment page of ConCardis.

In order to be able to use this feature, you must first carry out the steps listed under [Hidden Authorisation / Alias Gateway](#) and create an API-User.

You can then activate the authorisation method 'Hidden Authorisation' for the payment methods of your choice. This procedure requires you as a merchant to fulfill the PCI-SAQ-A-EP. At no time is any credit card data saved on your server. Contact your Acquirer for more information about the SAQ and the requirements.

4.4 Credit Card

For the integration you have the choice between the pre-selection in the shop; i.e. the customer chooses the card type already in the shop; or a generic integration in which case the customer only sees the option 'credit card' as a payment method and then chooses the card type on the payment page ConCardis.




Figure 4.1: No pre-selection of the card type - the type will then be chosen on the payment page.

Pre-Selection of the Payment Method

We recommend choosing the option pre-selection. This allows you to configure individual settings for each payment method and add payment fees to the various methods.

4.5 PayPal

You can process PayPal directly via ConCardis. In order to do so, however, some adjustments to your PayPal account are required. Please carry out the following steps:

1. Activate the payment module in your shop
2. Make sure that the payment method is activated in your ConCardis account
3. The API adjustments must be carried out in your PayPal account. The various steps are explained in the "PayPal Express Checkout Integration Guide". This document can be found in your PSP account under: Support > Integration and User Guides > Technical Guides > ConCardis PayPal Express Checkout Integration Guide .

4.6 MasterPass Integration: What to keep in mind

If you integrate MasterPass as a payment method in your shop, you have two integration options: External and Standard Checkout. When using External Checkout, the customer does not have to provide address data during checkout. The customer only needs a MasterPass account and the data will be transmitted by MasterPass. In order to use this option as a merchant, you have to activate this payment method with ConCardis.

Please keep in mind, that using additional functions such as address transmission through MasterPass, may require the activation of the respective options through ConCardis aktiviert.

In order to use MasterPass in compliance with the MasterCard guidelines, please read the following information carefully before using this payment method.

4.6.1 Integration Possibilities for MasterPass

MasterPass can be integrated as a normal payment method with redirection to ConCardis or as an external checkout.

4.6.1.1 MasterPass as a Payment Method

If you like to integrate MasterPass as a normal payment method, activate the payment method as usual (see [Configuration of the payment method](#)). In this scenario the customer will first be redirected to MasterPass and then to the wallet of the issuer.

4.6.1.2 MasterPass as External Checkout

If you integrate MasterPass as an external Checkout, you can minimize the steps towards the payment radically. The adress transfer and the creation of the account is processed via MasterPass. If you activate the external checkout, there appears a button in the basket with which you can jump after the login directly to the last step of the order confirmation. The creation of the account happens in the background.

For the activation of the external checkout go to `___urlBackendForm___`. There you'll find all settings for the external checkout:

The screenshot displays the configuration page for the 'Externer Checkout' (External Checkout) under the 'MasterPass' section. The interface is divided into a sidebar and a main content area.

Sidebar:

- Scope der Konfiguration: Standardkonfiguration (dropdown menu)
- Shops verwalten (link)
- PSP (parent category)
- Über (parent category)
- Externer Checkout (selected item)

Main Content Area: Externer Checkout

MasterPass		
Active *	<input checked="" type="checkbox"/> Active ▲ Markieren Sie dieses Feld um den externen Checkout zu aktivieren.	[STORE VIEW]
Sort Order *	<input type="text" value="0"/> ▲ Legen Sie die Reihenfolge fest, in der externe Checkouts angezeigt werden sollen.	[STORE VIEW]
Minimal Order Total *	<input type="text"/>	[STORE VIEW]
Maximal Order Total *	<input type="text"/> ▲ Define a maximal order total for this checkout to be available.	[STORE VIEW]

Figure 4.1: Activation of the external checkout.

MasterPass as external checkout is not for all cases available. If this point in the manual doesn't appear, please make sure to contact us.

4.6.2 Checkout: MasterPass Learn More Button

When using MasterPass as a payment method for standard checkout, it is mandatory to link to the MasterPass Learn More Page. In order to do this, navigate to [Payment Method Configuration](#). Paste the link for the Learn More Page into the field 'Description' for the respective languages. The field 'Learn More' will now be displayed when choosing a payment method.

We have already collected the most important links for you. You only have to copy and paste the links into the description field:

- German: `Mehr Erfahren `
- French: `apprendre plus `
- English: `Learn More `
- Spanish: `aprender más `
- Italian: `saperne di più `
- Dutch: `Leer Meer `

Aktiviert	<input type="text" value="Aktiviert"/> <small>▲ Diese Zahlungsmethode aktivieren</small>	[STORE VIEW]
Titel	<input type="text" value="MasterPass"/> <small>▲ Name der Zahlungsmethode</small>	[STORE VIEW]
Beschreibung	<pre>Mehr Erfahren </pre> <small>▲ Beschreibung der Zahlungsmethode</small>	[STORE VIEW]

Figure 4.1: Example for entering a description (Magento). These settings are to be found in the payment method configuration for MasterPass.




Figure 4.1: The Learn More Page link should appear in the frontend.

Links for additional languages can be found in this document: <https://developer.mastercard.com/...>

4.6.3 Additional information

General and additional information on using the MasterPass trademark and logo in your webshop are available in the official MasterPass Merchant Branding Requirement Document, which you can access here: <https://developer.mastercard.com/...>

4.7 Usage of the Ajax Authorization (FlexCheckout)

You have the possibility of processing credit cards without redirection to the payment page of ConCardis.

In order to be able to use this feature, you must first carry out the steps listed under [Hidden Authorisation, FlexCheckout \(Hosted Tokenization Page\), External Checkout und Alias Manager](#) and create an API-User.

You can then activate the authorisation method 'Ajax Authorization (FlexCheckout)' for the payment methods of your choice. At no time is any credit card data saved on your server.

5 The Module in Action

Below you will find an overview over the most important features in the daily usage of the ConCardis module.

5.1 Useful Information on Transactions

For each order processed with a sellxed module you can access an overview of the most important transaction information. Among other things, this allows you to identify each corresponding order to each transaction displayed in the backend.

You can find the orders at Dashboard > Store Sales.

#	Transaction Number	Date	Payment method	Is authorised	Amount	Customer note	Add
8	26_8	2013-10-04 11:29:35	Saferpay Test Card	Yes	200.00		Less details
Authorisation amount			200.00				
Currency			EUR				
Payment method			Saferpay Test Card				
Payment ID			dznhzlbUOMtGAYWG618AIWKp5MA				
Captured amount			200				
Refunded amount			200				
Transaction authorised			Yes				
Transaction uncertain ?			No				
Transaction captured			Yes				
Transaction paid			Yes				
Alias			xxxx xxxx xxxx 0111				
Card number			xxxx xxxx xxxx 0111				
Card expiry date			12/2015				
Card Type			Saferpay Test Card				
3D Secure			Successful				
Captures							

Figure 5.1: Transaction information in WordPress E-Commerce.

5.2 Alias Manager / Token Solution Usage

The Alias Manager allows you to store your customers' credit card data safely with ConCardis. You can enable this by activating the option "Alias Manager" in the configuration of the [Payment Method](#). The customer can then select between the saved cards when making purchases in the future and does not have to enter all credit card data again.




Figure 5.1: Alias Manager in WooCommerce

Alias Manager Options

In order to use the Alias Manager, the option has to be unlocked by ConCardis. Please contact the support service if you wish to activate the option.

5.3 Dynamic Template

We provide a standard skin for the usage of the dynamic template for all sellxed modules. You can activate the option by setting the option "Dynamic Template" to "Use Shop Template" in the main module. Please make sure that all settings specified under [Template](#) have been carried out in the back-end of ConCardis.

The Dynamic Template allows you to load the Payment Page of ConCardis in the layout of your shop. The customer, therefore, does not notice that he or she has been forwarded to the website of ConCardis. The template dynamically adjusts to your shop template. This, furthermore, allows you to easily integrate Mobile Skins (cf. Screenshots).

The Dynamic Template requires an SSL Certificate

In order for the Dynamic Template to work correctly with all browsers, you require an SSL certificate in your shop.




Figure 5.1: Example: The skin adapts to the layout of your shop.




Figure 5.1: Example: Dynamic Template with mobile skin

5.4 Capture / Cancel Orders

5.4.1 Capturing and Cancelling Orders

In order to capture orders, open the order first (Dashboard > Store Sales) and then open the transaction information. Enter the amount you want to capture into the input field. By clicking on Capture the card is charged directly.

An order can be **cancelled** by clicking "Cancel Transaction" and the transaction as well as the reserved amount is released on the customer's card immediately.

Capturing Orders in the ConCardis Backend

The transaction management between ConCardis and your shop is not synchronised. When capturing payments in the ConCardis, the status is not adjusted in the shop and a second capture is not possible.




Figure 5.1: Cancelling and capturing orders

Partial Capturing

Please inquire, whether multiple captures are supported within your ConCardis contract. Otherwise, partially captured transactions could be blocked from future captures.

5.5 Order Refunds

In order to refund an order, open the transaction information (see above).

You can refund individual items or an arbitrary amount by adjusting the total amount or the number of items.




Figure 5.1: Refunds in WooCommerce for ConCardis.

Maximum Refund

Our sellxed modules restrict the refund amount to 100% of the originally authorised amount.

5.6 Transaction History

Every action within the transaction management is processed through the module. Information on each transaction can be viewed in the corresponding order.




Figure 5.1: Transaction overview in the transaction history.

5.7 Cron Job Setup

In order to activate the time-controlled plugin functions (e.g. update service, deleting pending orders etc.) you have to set up cron jobs in e-Commerce. The update function is especially relevant - it allows you to fetch subsequent transaction changes at ConCardis via the API. Please keep in mind that additional options might have to be activated.

The module uses the default e-Commerce cron. Information on the setup can be found [here](#).

6 Testing

Before switching from test to live mode it is important that you test the module extensively. You can find all relevant test credit card data under: <http://www.sellxed.com/de/testen>.

Testing

Do not forget to switch the operating mode from test to live after having successfully tested the module.

6.1 Test Data

In the following section you can find the test data for the various payment methods:

Credit Card

Kartennummer	3750 0000 000 0007	American Express
Expiry Date	12/2018	
CVC	1234	
Kartennummer	5399 9999 9999 9999	Mastercard
Expiry Date	12/2018	
CVC	123	
Kartennummer	4111 1111 1111 1111	VISA (Without 3-D Secure Check)
Expiry Date	12/2018	
CVC	123	
Kartennummer	4000 0000 0000 0002	VISA (With 3-D Secure Check)
Expiry Date	12/2018	
CVC	123	

American Express

Kartennummer	3750 0000 000 0007	American Express
Expiry Date	12/2018	
CVC	1234	

MasterCard

Kartennummer	5399 9999 9999 9999	Mastercard
Expiry Date	12/2018	
CVC	123	

Visa

Kartennummer	4000 0000 0000 0002	VISA (With 3-D Secure Check)
Expiry Date	12/2018	
CVC	123	
Kartennummer	4111 1111 1111 1111	VISA (Without 3-D Secure Check)
Expiry Date	12/2018	

CVC

123

7 Updates and Upgrades

You have direct and unlimited access to updates and upgrades during the duration of your support contract. In order to receive constant information about available updates we ask you to subscribe to our RSS feed that we publish for your module. More information regarding the subscription of this RSS feed can be found under: http://www.sellxed.com/en/updates_upgrades

7.1 Update Checklist

We ask you to strictly comply with the checklist below when doing an update:

1. Always do a back up for your database and your files in your shop
2. Use always a test system to test the update process.
3. Wait until all the files are copied to the shop, clear the cache if there is one in your shop and then visit the configuration page of the main module so that the update process will be initialized.

Do not do updates directly in the live environment

Please test the update procedure first in your test shop. Our support team is able and willing to help you if you experience problems with the update process. However, if you decide to perform the update directly in your live shop there is the possibility of a downtime of the shop of more than two days depending on the availability of our support if you do not want to book our [complementary support](#).

Depending on the version it could be that the database has to be migrated. We recommend you therefore, to perform the updates in times when the shop is not visited too frequently by your customers

7.2 Update Instructions

Please always read the update instructions (as shown on the screenshot below). They can be found on the plugin page in the shop under the section change log on the lower end of the page. If there are no special remarks, you can proceed by just overwriting the files in your system

Changelog

Version 1.2.108 - BUGFIX

Wed, 16 Jul 2014 09:45:09 +0200

Optimize the transaction data in the database to use less space.

Version 1.2.107 - BUGFIX

Tue, 15 Jul 2014 14:10:19 +0200

- Handling of database transactions improved.
- Refactoring of interfaces
- Make sure that capturing and refunding can be done per line item.

Update instructions

No reinstallation required

1. Backup files and database.
2. Upload files and overwrite existing files.
3. Make sure that the database migration is executed.

If you are unsure, please contact us for more information about the migration.

Version 1.2.106 - BUGFIX

Wed, 25 Jun 2014 08:25:03 +0200

Set the order status during order initialization.

Figure 7.1: Changelog update instructions.

8 Errors and their Solutions

You can find detailed information under <http://www.sellxed.com/en/fag>. Should you not be able to solve your problem with the provided information, please contact us directly under: <http://www.sellxed.com/en/support>

8.1 The Referrer URL appears in my Analytics Tool

When a customer and the notification are redirected via Header Redirection, the ConCardis Referrer URL might appear in your Analytics Tool thus hiding the original traffic source. However, most Analytic Tools are able to minimize this problem.

In case you are using Google Analytics as reporting tool, this step by step guide may help you to exclude the URLs: [under bullet point 4](#).