

# Installation Manual for Opayo Shopware

This manual describes the installation and usage of the Opayo extension for Shopware.

**Release Date:** Tue, 30 Mar 2021 02:09:35 +0200  
**Version:** 3.0.94

wallee AG  
General-Guisan-Strasse 47  
CH-8400 Winterthur

E-Mail: [info@sellxed.com](mailto:info@sellxed.com)

Telefon:

CH: +41 (0)44 505 13 60

DE: +49 (0)40 2999 60117

UK: +44 (0)161 850 6890

US: +1 (0)205 557 5869

© copyright by wallee AG Tue, 30 Mar 2021 02:09:35 +0200

#####conditional#####

# Table of Contents

<b>1</b>	<b>Introduction .....</b>	<b>5</b>
1.1	Procedure of the Installation .....	5
1.2	System Requirements .....	6
<b>2</b>	<b>Configuration Opayo - Backend .....</b>	<b>7</b>
2.1	Valid IPs .....	7
2.1.1	Identify the IP Address of your Shop .....	7
2.1.2	Entering the Valid IP .....	8
<b>3</b>	<b>Module Installation and Update in the Shopware Shop .....</b>	<b>9</b>
3.1	Installation .....	9
3.2	Updates and Upgrades .....	9
3.2.1	Update Checklist .....	9
3.2.2	Update Instructions .....	10
3.2.3	Updated Plugin from the SagePayCw to the CwbSagePayCw Version. ....	11
<b>4</b>	<b>Module Configuration in the Shopware Shop .....</b>	<b>12</b>
4.1	Configuration of the Main Module .....	12
4.2	Configuration of the Payment Method .....	12
4.3	Assigning the Payment Method to the Shipping Costs .....	13
4.4	Direct Capturing of Transactions .....	14
4.5	Uncertain Status .....	15
4.5.1	Setting the order state .....	15
4.6	Optional: Validation .....	15
4.6.1	Usage of the Integrated Multishop Functionality of Shopware .....	15
<b>5</b>	<b>Settings / Configuration of Payment Methods .....</b>	<b>16</b>
5.1	General Information About the Payment Methods .....	16
5.2	Information on Payment Status .....	16
5.2.1	Order status "pending" / imminent payment (or similar) .....	16
5.2.2	Order status "cancelled" .....	16
5.3	Opayo Authorization methods .....	17
5.3.1	Selection of the Authorisation Method - National Payment Methods .....	17
5.3.2	Fraud Recognition Rules .....	17
5.4	Opayo PayPal .....	19
<b>6</b>	<b>The Module in Action .....</b>	<b>20</b>
6.1	Capturing / Canceling of Orders .....	20

6.1.1	Capturing Orders .....	20
6.1.2	Cancellation .....	20
6.2	Useful Transaction Information on the Order .....	21
6.3	Refunds .....	22
6.4	Usage Abo Commerce / Recurring Payments .....	23
6.5	Usage of the Alias Managers / Token Solution .....	23
<b>7</b>	<b>Getting the Credit Card Data via Shopware REST API .....</b>	<b>25</b>
<b>8</b>	<b>Set-up a cron job to activate the timed operations .....</b>	<b>26</b>
<b>9</b>	<b>Testing .....</b>	<b>27</b>
9.1	Test Data .....	27
<b>10</b>	<b>Errors and their Solutions .....</b>	<b>28</b>
10.1	The Referrer URL appears in my Analytics Tool .....	28
<b>11</b>	<b>Compatibility with Third-Party Plugins .....</b>	<b>29</b>
11.1	Birthday and gender in Shopware .....	29
<b>12</b>	<b>Error Logging .....</b>	<b>30</b>
12.1	Log Levels .....	30
12.2	Log Location .....	30
<b>13</b>	<b>Advanced Information .....</b>	<b>31</b>
13.1	Transaction Object .....	31

# 1 Introduction

This manual explains the installation, configuration and usage of the payment module for Shopware and Opayo.

Before beginning with the installation, please make sure that you are in possession of all necessary data:

- You should have received a vendor name, a user name as well as a password from Opayo for the live and test platform
- Shopware payment module by [sellxed.com/shop](https://sellxed.com/shop)
- Access data to your server and shop

In case you don't yet have a contract with Opayo, you can gladly acquire it directly through us.

## 1.1 Procedure of the Installation

In this document you will find all important information for the installation of the module. It is important that you strictly follow the checklist. Only by doing so, can a secure usage in correspondence with all security regulations be guaranteed.

1. Configuration of the test administration interface of Opayo. You will find the test platform under <https://test.sagepay.com/mysagepay/loginpage.msp>
2. Configuration of the basic settings of the payment module
3. Configuration of the payment methods
4. Carrying out of a test purchase by means of the attached [test data](#) at the end of this document
5. If the test was successful, you can request the going live of your account by Opayo. With the obtained access data you can log into the live environment. The live environment can be found under the following URL: <https://live.sagepay.com/mysagepay/loginpage.msp>

## Installation Service

Our payment plugins should have per default the correct settings for most of our customers' preferences. That means once you have entered the required credentials in the plugin configuration to connect your account to your website, the plugin should be fully operational. Should you be willing to receive detailed informations on a setting you do not know, you may contact our support team who will be able to assist you further.

Our support team is at your disposal during regular business hours at: <http://www.sellxed.com/support>. Furthermore, you have the option of ordering our installation service. We will make sure the plugin is installed correctly in your shop: <http://www.sellxed.com/shop/de/integration-und-installation.html>

## .htaccess Directory Protection

In order to test the module, any kind of directory protection or IP blocking on your server must be deactivated. This is crucial as otherwise the payment feedback of Opayo might not get through to the shop.

## 1.2 System Requirements

In general, the plugin has the same system requirements as Shopware. Below you can find the most important requirements of the plugin:

- PHP Version: 5.4.x or higher
- OpenSSL: Current version with support for TLS 1.2 or higher.
- fsockopen: The PHP function fsockopen must be enabled. The plugin must be able to connect to external systems over the Internet.
- PHP Functions: All common PHP functions must be enabled.

## 2 Configuration Opayo - Backend

For the configuration log into Opayo in the Administration Tool (MySagePay):

- Test Environment: <https://test.sagepay.com/mysagepay/loginpage.msp>
- Live Environment: <https://live.sagepay.com/mysagepay/loginpage.msp>

The settings carried out on the following pages are a precondition for the later [configuration of the main module](#).


### 2.1 Valid IPs

In order for your shop to be able to access the payment page of SagePay, the IP of your server has to be saved as a valid IP with SagePay.

#### 2.1.1 Identify the IP Address of your Shop

In a first step you must find out the IP address of your shop. We display the IP on the about page of the plugin directly in your store.

Alternatively, request your IP directly with the host of your website.



**SAGE PAY**

- About
- Setup**

**Short Installation Instructions:**

This is a brief instruction of the main and most important installation steps, which need to be performed when installing the Sage Pay module. For detailed instructions regarding additional and optional settings, please refer to the enclosed instructions in the zip.

1. Enter the Sage Pay Vendor Name.
2. Add your Server IP to the section Valid IP in the Sage Pay backend.
3. Activate the payment method and test.

---


**IP Address** 123.456.78.9

Please enter this IP in the Sage Pay Backend > Settings > Valid IPs

**Figure 2.1:** You find your IP in the about section of the plugin (here a screenshot inside Magento).

## 2.1.2 Entering the Valid IP

Click on add and enter the above identified IP address. Enter **255.255.255.000** for the subnet mask.



**Add a valid IP address** ✕

IP address: \*

Subnet mask: \*

Description:

Add

Figure 2.1: Adding an IP



## 3 Module Installation and Update in the Shopware Shop

### 3.1 Installation

At this time you should already be in possession of the module. Should this not be the case, you can download the necessary files in your customer account in the [sellxed shop](#) (Menu "My Downloads Downloads"). In order to install the module in your shop, please carry out the following steps:

1. Download the plugin. The download can be found in your sellxed.com account under "My Downloads".
2. Unzip the archive you have just downloaded.
3. In the unzipped folder navigate to the folder "files"
4. For some shops there are different versions of the plugin provided. If this is the case open the folder which corresponds to your shop version.
5. Using your preferred FTP client upload **entire content** of this folder into the root directory of your shop. For some shops there is a specific folder containing the plugins. If that's the case upload the plugin into this folder. Make sure that the folders aren't replaced but merely merged.
6. If you haven't yet done so, log back into your shop.

### 3.2 Updates and Upgrades

You have direct and unlimited access to updates and upgrades during the duration of your support contract. In order to receive constant information about available updates we ask you to subscribe to our RSS feed that we publish for your module.

More information regarding the subscription of this RSS feed can be found under: [http://www.sellxed.com/en/updates\\_upgrades](http://www.sellxed.com/en/updates_upgrades).

We only recommend an update if something doesn't work in your shop, if you want to use new feature or if there is a necessary security update.

#### 3.2.1 Update Checklist

We ask you to strictly comply with the checklist below when doing an update:

1. Always do a backup for your database and your files in your shop
2. Use always a test system to test the update process.
3. Wait until all the files are copied to the shop, clear the cache if there is one in your shop and then visit the configuration page of the main module so that the update process will be initialized.

### Do not do updates directly in the live environment

Please test the update procedure first in your test shop. Our support team is able and willing to help you if you experience problems with the update process. However, if you decide to perform the update directly in your live shop there is the possibility of a downtime of the shop of more than two days depending on the availability of our support if you do not want to book our [complementary support](#).

Depending on the version it could be that the database has to be migrated. We recommend you therefore, to perform the updates in times when the shop is not visited too frequently by your customers.

### 3.2.2 Update Instructions

Please always read the update instruction. Those instructions can be found in the changelog. If there are no special remarks, you can proceed by just overwriting the files in your system.

### 3.2.3 Updated Plugin from the SagePayCw to the CwbsagePayCw Version.

We plan to release this plugin in the shopware store in the near future. To make this possible we had to apply some changes to our code. Most important a prefix for our PHP classes is required and the plugin folder had to be renamed. To update to this new version simply overwriting the existing files is not possible. This section describes the steps required to update the module in detail.

#### Do not do updates directly in the live environment

Please test the update procedure first in your development system. So you can ensure the update is working correctly.

#### Multiple Plugins

If you are using multiple plugins from us. You need to update all of them to the new version.

1. Activate the maintenance mode of the shop.
2. Make a backup for your database and your files in your shop. **Without this you will not be able to revert to the old version, if anything goes wrong.**
3. Upload the new plugin files.
4. Deactivate the existing plugin. **Do not deactivate the old plugin yet.**
5. Install and activate the new plugin.
6. If you have custom CSS or template files for the plugin, adapt the changes to the new plugin.
7. If you are using the Shopware API endpoint of this plugin, update the URL to new endpoint.
8. Verify the main and method settings.
9. Deinstall the old plugin.
10. Delete the files of the old plugin. The following files/folders must be removed, if they exist:
  - engine/Shopware/Plugins/Local/Frontend/SagePayCw
  - engine/Library/Customweb
  - engine/Library/Crypt
  - engine/Library/File
  - engine/Library/Math
  - engine/Library/Mobile
  - engine/Library/Net
  - engine/Library/PhoneNumber
  - engine/Library/System
  - engine/Library/loader.php
  - engine/Library/openssl.cnf
11. Make a test transaction to verify everything is working correctly.
12. Deactivate the maintenance mode of the shop.

## 4 Module Configuration in the Shopware Shop

The configuration consists of two steps. The first step is the configuration of the main module with all the basic settings (cf. [Configuration of the Main Module](#)). During the second step you can then carry out individual configurations for each [payment method](#). This allows for full flexibility and perfect adaptation to your processes.

### Create backups!

Please create a backup of the main directory of your shop. In case of problems you will then always be able to return your shop to its original state.

We furthermore recommend testing the integration on a test system. Complications may arise with third party modules installed by you. In case of questions, our support is gladly at your disposal.

### 4.1 Configuration of the Main Module

In order to install the main module search for Opayo under **Settings > Plugin Manager**. Click on the + symbol in order to begin the installation process. Afterwards, click the "edit" symbol and configure the main module.

Enter the individual options which you partly may have already used for the configuration of the administration interface of Opayo. Should an option not be clear to you, you can click on the question mark and will find further information on the settings.

### 4.2 Configuration of the Payment Method

After having configured the main module, you will find all payment methods under **Settings > Payment Methods**. Activate each payment method you wish to offer in your shop. You can save individual settings for each payment method (and for each shop in case of a multi-shop set-up) and thereby optimally adapt the payment methods to your existing processes. The most central options are described in more detail further below.

Hauptshop Deutsch

<b>Autorisierungsmethode:</b>	Hidden Authorization (Authorization Interface) <span style="float: right;">▼ ?</span>
<b>Authorized Status:</b>	Komplett bezahlt <span style="float: right;">▼ ?</span>
<b>Uncertain Status:</b>	Der Kredit wurde vorlaeufig akzeptiert. <span style="float: right;">▼ ?</span>
<b>Cancelled Status:</b>	Vorgang wurde abgebrochen. <span style="float: right;">▼ ?</span>
<b>Captured Status:</b>	Don't change order status <span style="float: right;">▼ ?</span>
<b>Kundenadresse:</b>	Keine Adresse senden <span style="float: right;">▼ ?</span>
<b>Capturing:</b>	Directly after order <span style="float: right;">▼ ?</span>
<b>Minimaler Gesamtbetrag:</b>	<input type="text"/> <span style="float: right;">?</span>
<b>Maximaler Gesamtbetrag:</b>	<input type="text"/> <span style="float: right;">?</span>
<b>New Order Status:</b>	Offen <span style="float: right;">▼ ?</span>
<b>Validation:</b>	Nach dem Wählen der Zahlungsart <span style="float: right;">▼ ?</span>

Figure 4.1: Configuration of the Payment Method

### 4.3 Assigning the Payment Method to the Shipping Costs

In order for the transactions and the shipping costs to be matched correctly to the payment methods you need to assign the payment methods to the shipping methods. Go to settings > shipping costs. Open **all** the shipping costs and add a payment method.

**Versandkosten**

Konfiguration

Name: Standard Versand

Beschreibung: Beschreibung

Tracking-URL:

Kommentar:

Sortierung: 0

Aktiv:

Shop: Alle Shops

Kundengruppe: Alle Gruppen

Versandkosten-Berechnung nach: Gewicht

Versandkosten frei ab: Nie

Versandart-Typ: Standard Versandart

Zahlungsart-Aufschlag: Als eigene Warenkorb-Position

Steuersatz: Höchster Steuersatz

Versandkosten | **Zahlart Auswahl** | Länder Auswahl | Kategorien sperren | Erweiterte Einstellungen

Verfügbar	Ausgewählt
SEPA	Debit
	On delivery
	Invoice
	Prepayment
	Test Payment Method

Abbrechen | Speichern

**Figure 4.1:** Assigning the Payment Method to the Shipping Method.

### Attributing Payment Methods to the Shipping Method

Depending on the amount of delivered payment methods, it may be that certain payment methods can't be attributed to a specific shipping method as not all payment methods can be displayed. This is a known bug of Shopware. Merely the first 30 payment methods are displayed. Please delete all payment methods that you don't need and then all other payments will be displayed.

## 4.4 Direct Capturing of Transactions

The option "Capture" allows you to specify if you wish to debit payments directly or if you first

wish to authorise them and then debit the payment at a later point.

Depending on your acquiring contract, a reservation is only guaranteed for a specific period of time. Should you fail to debit the payment within that period, the authorisation may therefore no longer be guaranteed. Further information on this process can be found below.

## Different settings between Opayo and the module

It may be that settings saved in the payment modules overwrite settings saved in Opayo.

## 4.5 Uncertain Status

You can specifically label orders for which the money is not guaranteed to be received. This allows you to manually control the order before shipment.

### 4.5.1 Setting the order state

For each payment method you may select in which state the order should be set to depending on the booking state. This is the initial state of the order.

## 4.6 Optional: Validation

Note: It can be that this option is not visible in your module. In this case just ignore this section.

With the option 'Validation' you can define the moment when the payment method should be made visible to the customer during the checkout process. This setting is relevant for modules where the usage depends on the customer's compliance with specific preconditions. For example, if a solvency check has to be carried out or if the payment method is only available in certain countries. You have the choice between these options:

- **Validation before the selection of the payment method:** A validation verification is carried out before the customer selects the payment method. If the customer does not fulfill the requirements, the payment method is not displayed
- **Validation after selection of the payment method:** The verification of the compliance occurs after the selection of the payment method and before the confirmation of the order
- **During the authorisation:** The validation verification is carried out by Opayo during the authorisation process. The payment method is displayed in any case

### 4.6.1 Usage of the Integrated Multishop Functionality of Shopware

The payment module supports the multishop feature of Shopware. No further modifications are necessary. The module automatically recognizes the shop the order belongs to. In order for the multishop functionality to work, it is, however, necessary that the individual sub-shops within Shopware have been configured correctly.

## 5 Settings / Configuration of Payment Methods

### 5.1 General Information About the Payment Methods

The plugin contains the most common payment methods. In case a desired payment method is not included per default, please contact us directly.

In order to be able to use a payment method, it must be activated in your account with Opayo as well as in your shop. Information about the configuration of the payment methods can be found further above.

Below you can find important information for specific payment methods that deviate from the standard process.

### 5.2 Information on Payment Status

For each payment method you can define an initial payment status (status for authorized payments etc.). You hereby define the payment status for each state depending on the processing type of the order (captured, authorized, etc.). It's the initial status which the order assumes. Depending on the mutation carried out by you, the status can change.

#### Important info regarding Order Status

Never set the status to **Pending Opayo** or any similar pending status which is implemented by the module.

#### 5.2.1 Order status "pending" / imminent payment (or similar)

Orders with the status 'pending Opayo' are pending orders. Orders are set to that status if a customer is redirected in order to pay but hasn't returned successfully or the feedback hasn't reached your shop yet (Customer closed window on the payment page and didn't complete payment). Depending on the payment method these orders will automatically be transformed into cancelled orders and the inventory will be cleared (so long as the Cronjob is activated). How long this takes depends on the characteristics of the payment method and cannot be configured.

If you have a lot of pending orders it usually means that the notifications from your webserver to Opayo are being blocked. In this case check the settings of your firewall and ask the Hoster to activate the IPs and User Agents of Opayo.

#### 5.2.2 Order status "cancelled"

Orders with the status "cancelled" have either been set to that status automatically due to a timeout, as described above, or have been cancelled directly by the customer.



## 5.3 Opayo Authorization methods

Payment Page (Server) and iFrame (Server with iFrame) are the authorization methods which do not require for your shop a PCI-certificate. Please check our product description page for a real time overview of the payment methods that support the specific authorization method you are interested in. If you are PCI-certified you can feel free to activate and configure the authorization method Server Authorization (Direct). This is an integration which requires a PCI certification. It is therefore crucial that you do not integrate this authorization method if you aren't PCI-certified.

### 5.3.1 Selection of the Authorisation Method - National Payment Methods

You have the choice between integration via InFrame or via Payment Page. In the case of national payment methods such as ELV, Sofortüberweisung, etc., you must use Payment Page as Authorisation Method.

### 5.3.2 Fraud Recognition Rules

You have the possibility of filtering orders based on certain criteria and then have the order be labelled by the system. You can select a combination of rules which - if the criteria are fulfilled cumulatively - will lead to the order being moved into a pending status for manual verification.

Address check result	<ul style="list-style-type: none"><li>No address or no post code was provided</li><li>Address or post code were not checked</li><li>The address or post code do not match</li></ul>	[STORE VIEW]
	<p>▲ During the checkout the address and post code are checked against the linked data with the credit card. The selected outcomes are threaded as uncertain transactions.</p>	
CV2 check result	<ul style="list-style-type: none"><li>No CV2 code was provided</li><li>CV2 code was not checked</li><li>CV2 not matched</li></ul>	[STORE VIEW]
	<p>▲ During the checkout the CV2 code is checked. The selected outcomes are treated as uncertain transactions.</p>	
Address check result	<ul style="list-style-type: none"><li>3D secure authentication failed</li><li>The 3D secure check was disabled for the transa</li><li>The card does not have 3D secure</li></ul>	[STORE VIEW]
	<p>▲ During the authorization of the payment a 3D secure check may be done. The selected outcomes are treated as uncertain transactions.</p>	
Fraud check result	<ul style="list-style-type: none"><li>ReD recommends rejecting the transaction.</li><li>No fraud check was done</li></ul>	[STORE VIEW]
	<p>▲ During the authorization of the payment a fraud check</p>	

Figure 5.1: Fraud Rules Configuration.

## 5.4 Opayo PayPal

You have the possibility of processing PayPal via Opayo. In order to do so, the payment method must be activated in your account.

Please follow the instructions of the installation guides of Opayo in order to configure the module. You will find these in the administration interface (MySagePay) under the tab 'Payment Methods'.

## 6 The Module in Action

Below you will find an overview of the most important features in the daily usage of the Opayo module.

### 6.1 Capturing / Canceling of Orders

#### 6.1.1 Capturing Orders

##### Please note


The transaction management between your shop and Opayo is not synchronized. If you capture payments with Opayo, the status in the shop will not be updated and a second capturing in the shop is not possible.

In order to be able to capture orders, you must make sure that you have set 'Capturing' to **deferred** in the configuration of the [payment method](#).

Open the order you wish to capture and switch to the tab **Transactions**. Here you will find the tab **Captures**. Enter the amount you wish to debit from the customer's card. By clicking **Capture**, a direct capturing of the order occurs with Opayo.

#### 6.1.2 Cancellation

By clicking the button **Cancel**, you delete the initial authorization on the customer's card. The pre-authorized amount is released from the customer's card.



#	Betrag	Datum	Status

**Buchungsbetrag:**

**Schliessen:** Die Buchung wird die Transaktion automatisch für weitere Buchungen schliessen.

Figure 6.1: Capturing/Cancellation of orders in Shopware

## 6.2 Useful Transaction Information on the Order

In each order, processed via our module, you can find an overview of the most important information about the transaction as well as a transaction history.

In order to get to the transaction information, open the order and switch to the tab **Transactions**. Here you will find all authorization attempts and the related information.

x
Bestellungs-Details: 20006

Übersicht Details Kommunikation Positionen Dokumente Status History Transaktionen

#	Datum	Zahlungsmethode	Ist Autorisiert	Betrag
19	20.11.2013 11:06:11	Visa	aktiv	29,90

« » Seite 1 von 1 » ↺ Anzeige Eintrag 1 - 1 von 1

Informationen Verlauf Buchungen Gutschriften

<p><b>Autorisierungsbetrag:</b> 29.9</p> <p><b>Währung:</b> EUR</p> <p><b>Zahlungsmethode:</b> VISA</p> <p><b>Zahlungsid:</b> 80C26IAU017rUAj3v7fQAn6fQnGb</p> <p><b>Verbuchter Betrag:</b> 29.9</p> <p><b>Transaktion autorisiert:</b> Ja</p> <p><b>Transaktion ist unsicher:</b> Nein</p>	<p><b>Transaktion verbucht:</b> Ja</p> <p><b>Transaktion bezahlt:</b> Ja</p> <p><b>Kartenummer:</b> xxxx xxxx xxxx 0111</p> <p><b>Kartenablaufdatum:</b> 10/24</p> <p><b>Card Type:</b> VISA</p> <p><b>3D Secure:</b> Erfolgreich</p>
---	---

Figure 6.1: Transaction Information in Shopware.

## 6.3 Refunds

You can refund already captured transactions and automatically transmit them to Opayo. In order to do so, open the order. Switch to the tab **Transactions**. A new window will open up in which you must then switch to the tab **Refunds** in order to refund orders.

To refund a line item you need to enter the quantity you wish to refund. By clicking **Refund**, the refund is automatically transmitted to Opayo. It will then be refunded via the payment method the customer chose for the transaction.

Transaktionsdetails: 23
X

Information
Verlauf
Verbuchungen
Gutschrift

#	Betrag	Datum	Status

Name	SKU	Typ	MwSt.	Menge	Total (exkl. MwSt.)	Total (inkl. MwSt.)
ELASTIC MÜTZE	SW10153	product	19.00 %	1	12.56	14.95
Standard Versand	shipping	shipping	19.00 %	1	3.28	3.9
<b>Total gutgeschriebener Betrag</b>						<b>18.85</b>

Transaktion für weitere Rückvergütungen schliessen
 Rückerstattung

**Figure 6.1:** Refunding Orders in Shopware.

Please note that you can't refund more than 100% of the original amount.

Executing a refund will not change the status of the order.

## 6.4 Usage Abo Commerce / Recurring Payments

Abo-Commerce increases long-term customer loyalty. Customers can choose as many products as they wish and have them home to them in cycles of their choice. The advantage for customers: products that are required regularly are automatically delivered to their home.

Shopware offers you the possibility of offering Abo Commerce in your shop. In order to do so, a special module has been developed by Shopware ([Abo Commerce Module](#)). Our payment module is compatible with the Abo Commerce module of \_\_\_\_shopSystemName\_\_\_\_. In case of questions concerning the Abo Commerce Module, please contact Shopware directly.

Abo Commerce requires the additional option with Opayo

The usage of Abo Commerce requires the activation of additional options with Opayo.

## 6.5 Usage of the Alias Managers / Token Solution

With the Alias Manager, your customers can securely save their credit cards with Opayo for later purchases. You can enable this by activating the option "Alias Manager" in the configuration of the [Payment Method](#). The customer can then choose from his or her saved credit cards without having to re-enter all the details.

## Zahlungs-Formular

**Saved cards:**

You may choose one of the cards you paid before on this site.

**Karteninhaber\***

Bitte geben Sie den Karteninhaber auf Ihrer Kreditkarte ein.

**Kartennummer\***

Bitte geben Sie hier die Kartennummer Ihrer Kreditkarte ein.

**Karten Ablaufdatum\***

Wählen Sie das Ablaufdatum Ihrer Karte aus.

**CVC Code\***

Bitte geben Sie hier den CVC Ihrer Karte ein. Sie finden diesen auf der Rückseite Ihrer Kreditkarte.

Figure 6.1: Alias Manager Usage in Shopware

### Please note!

The usage of the Alias Managers requires the activation of the correct option with Opayo. To do so, please contact the support directly.



## 7 Getting the Credit Card Data via Shopware REST API

When connecting ERP systems to Shopware it may be that further information is required via Shopware API. Our module provides you with a lot of payment information also via Shopware REST API.

Basic Information about the usage of the REST API of Shopware can be found in the [Shopware Developers Guide](#).

The service can be called up under <https://www.shop-url.com/api/CwbsagepaycwTransactions>. The call of the above URL leads to the listing of all transactions. By adding the Transaction ID you can filter by the corresponding Transaction ID. The Transaction ID can be found in the order overview (Customer > Payments > Opayo )

Additionally, you can also access the transaction via the Payment ID (transmitted through Opayo). To do so, the parameter 'usePaymentId=1' has to be added as a parameter to the URL.

## 8 Set-up a cron job to activate the timed operations

To activate the timed operations of the plugin (e.g. update service, deleting pending orders, etc.) make sure that you set up the Shopware Cron engine. Especially the update function allows you to automatically retrieve additional information or changes of your order directly via the API of Opayo. For payment methods which use a delayed authorisation process this is mandatory. Please note it could be that in order to use the update feature it may be necessary that Opayo activates additional options in your account.

The module uses the standard cron engine of Shopware. More information regarding the set up can be found here: [https://community.shopware.com/Cronjobs\\_detail\\_1102.html](https://community.shopware.com/Cronjobs_detail_1102.html).

## 9 Testing

Before switching from test to live mode it is important that you test the module extensively.

### Testing

Do not forget to switch the operating mode from test to live after having successfully tested the module.

### 9.1 Test Data

In the following section you can find the test data for the various payment methods:

#### Credit / Debit Card

Card number	49290000000009
Expiry Date	12/2020
CVC	123

#### Visa

Card number	49290000005559
Expiry Date	12/2020
CVC	123

#### MasterCard

Card number	5404000000000043
Expiry Date	12/2020
CVC	123

#### Debit Visa

Card number	4462000000000003
Expiry Date	12/2020
CVC	123

#### Visa Electron

Card number	4917300000000008
Expiry Date	12/2020
CVC	123

## 10 Errors and their Solutions

You can find detailed information under <http://www.sellxed.com/en/faq>. Should you not be able to solve your problem with the provided information, please contact us directly under: <http://www.sellxed.com/en/support>

### 10.1 The Referrer URL appears in my Analytics Tool

When a customer and the notification are redirected via Header Redirection, the Opayo Referrer URL might appear in your Analytics Tool thus hiding the original traffic source. However, most Analytic Tools are able to minimize this problem.

In case you are using Google Analytics as reporting tool, this step by step guide may help you to exclude the URLs: [under bullet point 4](#).

# 11 Compatibility with Third-Party Plugins

The plugins listed below are compatible with our payment modules and allow you to handle certain tasks in an easier way.

## 11.1 Birthday and gender in Shopware

For certain payment service providers it is necessary to check the birthday and the gender of a customer. Shopware does not check this by default. To enable these checks go to "Configuration > Basic Settings > Frontend > Login / Registration" and check the following parameters:

- Show Birthday Field
- Birthday is required
- Show "I am" select field

## 12 Error Logging

The module will log different unexpected errors or information depending on the configured level. If there is any issue with the module, this log can help identify the cause.

### 12.1 Log Levels

You can configure the log level in the Opayo settings.

- Error: Logs unexpected errors only. (Default)
- Info: Logs extended information.
- Debug: Logs information helpful for debugging.

### 12.2 Log Location

The log file is stored in the Shopware log directory. Please make sure the path exists and it is writable by the webserver. (Default Path: {shopRootDirectory}/logs or {shopRootDirectory}/var/log)

## 13 Advanced Information

This section of the manual is for advanced usage of the module. The content is for advanced users with special requirements. Everything in this section is optional and not required for the daily usage of the module.

### 13.1 Transaction Object

This section describes how to extract information from a transaction, if you need it for further processing. E.g. you require more information of the transaction for further processing an order in your ERP system.

The code snippets in this section assume your script resides in the root folder of the shop with the default shop folder structure.

Have Shopware initialized in your script, this is required for the database connection.

```
require __DIR__ . '/autoload.php';
use Shopware\Kernel;
$environment = 'production';
$kernel = new Kernel($environment, false);
$kernel->boot();
```

Register the module classes.

```
$pluginPath = 'engine/Shopware/Plugins/Local/Frontend/CwbSagePayCw';
Shopware()->Loader()->registerNamespace('Customweb', 'Customweb/');
Shopware()->Loader()->registerNamespace('CwbSagePayCw_Helpers',
$pluginPath . '/Helpers/');
Shopware()->Loader()->registerNamespace('CwbSagePayCw_Entities',
$pluginPath . '/Entities/');
Shopware()->Loader()->registerNamespace('CwbSagePayCw_Components',
$pluginPath . '/Components/');
Shopware()->Loader()->registerNamespace('Shopware\Components\Api',
$pluginPath . '/Components/Api/');
```

```
require_once $pluginPath . '/Library/loader.php';
Customweb_Core_Util_Class::registerClassLoader(function ($className){
    return Shopware()->Loader()->loadClass($className);
});
```

To load old transactions register a legacy class loader.

```
Customweb_Core_Util_Class::registerClassLoader(function($className){
    if(strpos($className, 'SagePayCw') === 0){
        $fileName = substr($className, strpos($className, '
if(file_exists('engine/Shopware/Plugins/Local/Fronte
```

```
                require_once 'engine/Shopware/Plugins/Local/  
                return true;  
            }  
        }  
        return false;  
    });
```

Now you can load the transaction and then extract the transactionObject.

Load the transaction by Id:

```
$transactionById = CwbSagePayCw_Helpers_Util::loadTransaction  
($transactionId);  
$transactionObject = $transactionById->getTransactionObject();
```